



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

THE NOTIFIABLE DISEASES.

PREVALENCE DURING 1912 IN CITIES OF 10,000 TO 100,000.

DIPHTHERIA, LEPROSY, MALARIA, MEASLES, EPIDEMIC CEREBROSPINAL MENINGITIS, POLIOMYELITIS, RABIES, SCARLET FEVER, SMALLPOX, TUBERCULOSIS, AND TYPHOID FEVER—CASES REPORTED, CASE RATES PER 1,000 POPULATION, AND FATALITY RATES PER 100 CASES.

In the Public Health Reports of April 3 and July 24, 1914, there were published tables showing for the calendar years 1912 and 1913 the number of cases of notifiable diseases reported in cities of the United States having an estimated population of 100,000 or more.

The data from which the tables were compiled were obtained from the health departments of the respective cities. It is believed that all the municipal health departments which were making a serious effort to obtain information of the occurrence of preventable diseases within their jurisdictions forwarded the data contained in their records.

It was apparent from the tables that some of the cities were much more successful in obtaining reports of the notifiable diseases than were others. This may have been due in certain instances to a greater efficiency on the part of the health departments, and in other instances to a more ready compliance with the law on the part of the practicing physicians.

The tables herewith contain similar data for cities of between 10,000 and 100,000 population. The populations used in computing the case rates were those estimated by the Bureau of the Census as of July 1, 1912.

The excellent results being obtained by the health departments in certain cities in securing compliance with the requirements for the notification of communicable diseases are shown in the large numbers of cases reported in some instances as compared with the deaths registered from the same causes, and in the fatality rates computed from the cases notified and the deaths registered.

The reader should keep in mind that in the tables a high case rate, especially when accompanied by a low fatality rate, usually means that the health department is active and that the cases of the disease are being properly reported by the physicians, and not that the disease is more prevalent in that city than in others. A high fatality rate may mean that the disease was unusually virulent in a city, that the physicians did not treat it in that city with the usual success, or that the morbidity reports were unduly incomplete. On the other hand an unusually low fatality rate may be due to the fact that the disease in the city was unusually mild, that the physicians treated it with unusual success, that the morbidity reports were exceptionally complete, or that the registration of deaths was incomplete, or the assignment of the causes of death inaccurate.

Similar information of the prevalence of the notifiable diseases by States for 1912 appeared in the Public Health Reports of January 16, 1914, and for 1913 on July 10, 1914.

SUMMARIES OF HIGHEST AND LOWEST RATES.

	Number of cases reported per annum per 1,000 inhabitants.		Fatality rates per 100 cases.	
	Highest.	Lowest.	Highest.	Lowest. ¹
Diphtheria:			Diphtheria:	
Berlin, N. H.....	14.163		Hannibal, Mo.....	2 100.00
Willimantic, Conn.....	10.305		Lancaster, Pa.....	88.50
Anderson, Ind.....	8.700		Springfield, Mo.....	80.00
Muskogee, Okla.....		.062	Tampa, Fla.....	0.45
St. Joseph, Mo.....		.100	West Hoboken, N. J.....	.96
Hannibal, Mo.....		.102	Washington, Pa.....	1.54
Measles:			Measles:	
Clinton, Mass.....	43.595		Hannibal, Mo.....	2 100.00
Bradford, Pa.....	28.328		Pawtucket, R. I.....	45.45
Hagerstown, Md.....	26.750		Harrison, N. J.....	14.29
Galveston, Tex.....		.026	Norristown, Pa.....	.17
Green Bay, Wis.....		.037	Somerville, Mass.....	.20
Hannibal, Mo.....		.051	Chester, Mass.....	.24
Meningitis (epidemic cerebro-spinal):			Meningitis (epidemic cerebro-spinal):	
Palestine, Tex.....	4.558		Lexington, Ky.....	10.00
Houston, Tex.....	2.085		Somerville, Mass.....	11.11
Kansas City, Kans.....	2.085		Anderson, Ind.....	12.50
Poliomyelitis (infantile paralysis):			Poliomyelitis (infantile paralysis):	
Riverside, Cal.....	.713		Schenectady, N. Y.....	2 100.00
Springfield, Mass.....	.453		Cedar Rapids, Iowa.....	100.00
Bradford, Pa.....	.413		Little Rock, Ark.....	100.00
Scarlet fever:			Orange, N. J.....	100.00
Parsons, Kans.....	6.300		Pittsfield, Mass.....	100.00
Phoenix, Ariz.....	6.034		Canton, Ill.....	100.00
Akron, Ohio.....	5.470		Coatesville, Pa.....	100.00
Muskogee, Okla.....		.031	Fond du Lac, Wis.....	100.00
Steelton, Pa.....		.068	Keokuk, Iowa.....	100.00
Meadville, Pa.....		.076	Virginia, Minn.....	100.00
Smallpox:			Riverside, Cal.....	8.33
Marion, Ind.....	10.483		Erie, Pa.....	10.00
Kokomo, Ind.....	9.858		Bradford, Pa.....	16.67
Willimantic, Conn.....	7.409		Scarlet fever:	
Colorado Springs, Colo.....	12.015		Hannibal, Mo.....	100.00
Tampa, Fla.....	4.149		Trinidad, Colo.....	24.56
Butler, Pa.....	3.838		Keene, N. H.....	20.00
Typhoid fever:			Nanticoke, Pa.....	20.00
Cumberland, Md.....	* 7.776		Duluth, Minn.....	.39
Lincoln, Nebr.....	7.064		Somerville, Mass.....	1.27
New Castle, Pa.....	6.315		Carbondale, Pa.....	1.30
Newport, R. I.....		.035	Roanoke, Va.....	1.35
Auburn, Me.....		.064	Smallpox:	
Berlin, N. H.....		.080	Houston, Tex.....	25.53
			South Bend, Ind.....	.25.00
			Pasadena, Cal.....	25.00
			Tuberculosis:	
			Lansing, Mich.....	6.67
			Flint, Mich.....	10.91
			Wilkes-Barre, Pa.....	17.78
			Typhoid fever:	
			Tacoma, Wash.....	2 100.00
			Green Bay, Wis.....	100.00
			East Liverpool, Ohio.....	100.00
			Grand Island, Nebr.....	100.00
			Hannibal, Mo.....	100.00
			Pittsburg, Kans.....	3.33
			Galveston, Tex.....	3.45
			Lansing, Mich.....	3.75
			Chelsea, Mass.....	5.00
			Everett, Mass.....	5.26

¹ Lowest rates in cities in which at least 1 death was registered as due to the disease.

² These fatality rates of 100 per cent have no significance except to show that the cases were very incompletely reported.

³ These comparatively high case rates were recorded as the result of relatively complete case reports.

REPORTED PREVALENCE FOR THE YEAR 1912.

DIPHTHERIA.

Cities.	Estimated population July 1, 1912.	Cases.	Deaths.	Number of cases reported per 1,000 inhabitants.	Fatality rate per 100 cases.
From 50,000 to 100,000 inhabitants:					
Akron, Ohio.....	74,957	458	26	6.110	5.68
Allentown, Pa.....	57,090	331	26	5.798	7.83
Altoona, Pa.....	54,491	184	12	3.377	6.52
Binghamton, N. Y.....	50,409	27	3	.536	11.11
Brockton, Mass.....	60,637	48	5	.792	10.42
Camden, N. J.....	98,697	333	-----	3.374	-----
Canton, Ohio.....	54,000	67	3	1.241	4.48
Des Moines, Iowa.....	91,755	235	19	2.560	8.09
Duluth, Minn.....	84,168	51	1	.606	1.96
Elizabeth, N. J.....	78,135	154	11	1.971	7.14
Erie, Pa.....	69,608	270	18	3.879	6.67
Fort Worth, Tex.....	84,427	42	6	.497	14.29
Harrisburg, Pa.....	66,971	207	22	3.091	10.63
Houston, Tex.....	86,316	44	8	.510	18.18
Johnstown, Pa.....	60,762	457	39	7.521	8.53
Kansas City, Kans.....	86,824	86	-----	.991	-----
Lawrence, Mass.....	91,108	51	10	.560	19.61
Lynn, Mass.....	93,991	143	4	1.521	2.80
Norfolk, Va.....	83,470	109	6	1.306	5.50
Oklahoma City, Okla.....	83,194	61	4	.733	6.56
Passaic, N. J.....	60,809	101	11	1.661	10.89
Pawtucket, R. I.....	54,391	121	19	2.225	15.70
Reading, Pa.....	99,896	243	40	2.433	16.46
Sacramento, Cal.....	53,340	37	4	.694	10.81
St. Joseph, Mo.....	80,188	8	4	.100	50.00
Schenectady, N. Y.....	82,103	57	3	.694	5.26
Somerville, Mass.....	80,723	101	14	1.251	13.86
South Bend, Ind.....	61,296	60	12	.979	20.00
Springfield, Ill.....	54,979	209	22	3.872	10.53
Springfield, Mass.....	94,933	131	15	1.380	11.36
Tacoma, Wash.....	94,067	95	9	1.010	9.47
Troy, N. Y.....	77,204	130	18	1.684	13.85
Wilkes-Barre, Pa.....	70,544	156	4	2.211	2.56
Wilmington, Del.....	89,849	65	7	.723	10.77
Yonkers, N. Y.....	86,929	320	27	3.639	8.44
From 25,000 to 50,000 inhabitants:					
Augusta, Ga.....	48,660	77	3	1.582	3.90
Aurora, Ill.....	31,840	55	7	1.727	12.73
Austin, Tex.....	31,622	56	5	1.771	8.93
Bay City, Mich.....	46,153	-----	2	-----	-----
Berkeley, Cal.....	46,558	36	3	.773	8.33
Butte, Mont.....	40,540	20	1	.493	5.00
Cedar Rapids, Iowa.....	34,410	1 ¹⁷	-----	.494	-----
Chattanooga, Tenn.....	47,339	1 ³⁹	-----	.824	-----
Chelsea, Mass.....	32,092	46	1	1.433	2.17
Colorado Springs, Colo.....	30,463	12	3	.394	25.00
Council Bluffs, Iowa.....	30,072	57	10	1.895	17.54
Danville, Ill.....	29,415	58	1	1.972	1.72
Decatur, Ill.....	35,526	89	4	2.505	4.49
Easton, Pa.....	29,234	39	3	1.334	7.69
East Orange, N. J.....	37,245	53	1	1.423	1.89
Elgin, Ill.....	26,767	11	-----	.411	-----
Elmira, N. Y.....	37,512	78	7	2.079	8.97
El Paso, Tex.....	44,645	24	2	.538	8.33
Evanston, Ill.....	26,257	68	7	2.590	10.29
Everett, Mass.....	35,529	53	-----	1.492	-----
Fitchburg, Mass.....	39,233	41	5	1.045	12.20
Flint, Mich.....	44,322	31	1	.699	3.23
Galveston, Tex.....	38,716	31	1	.801	3.23
Green Bay, Wis.....	26,700	74	5	2.772	6.76
Haverhill, Mass.....	45,665	94	6	2.058	6.38
Joliet, Ill.....	35,858	-----	12	-----	-----
Kalamazoo, Mich.....	42,798	38	4	.888	11.76
Knoxville, Tenn.....	37,174	15	4	.404	26.67
Lancaster, Pa.....	48,517	113	100	2.329	88.50
Lansing, Mich.....	34,526	41	1	1.188	2.44
Lexington, Ky.....	37,051	86	3	2.321	3.49
Lincoln, Nebr.....	44,873	45	7	1.003	15.56
Little Rock, Ark.....	48,710	47	4	.965	8.51
Lynchburg, Va.....	30,720	41	3	1.335	7.32
Malden, Mass.....	46,805	65	4	1.389	6.15
McKeesport, Pa.....	44,413	153	12	3.445	7.84

¹ The health officer states that cases are known not to be completely reported.² United States census, 1910.

August 21, 1914

REPORTED PREVALENCE FOR THE YEAR 1912—Continued.

DIPHTHERIA—Continued.

Cities.	Estimated population July 1, 1912.	Cases.	Deaths.	Number of cases reported per 1,000 inhabitants.	Fatality rate per 100 cases.
From 25,000 to 50,000 inhabitants—Continued.					
Montgomery, Ala.	39,773	58	2	1.458	3.45
Mount Vernon, N. Y.	33,085	99	4	2.992	4.04
Muskogee, Okla.	32,183	2		.062	
Newburgh, N. Y.	28,443	45	1	1.582	2.22
New Castle, Pa.	38,005	247		6.499	
Newton, Mass.	41,195	18	1	.437	5.56
Norristown, Pa.	29,129	46	8	1.579	17.39
Ogden, Utah	27,652	35		1.266	
Orange, N. J.	30,857	89	4	2.884	4.49
Oskosh, Wis.	34,130	26	4	.762	15.38
Pasadena, Cal.	35,848	17	4	.474	23.53
Pittsfield, Mass.	34,435	127	12	3.688	9.45
Portsmouth, Va.	35,465	94	4	2.651	4.26
Poughkeepsie, N. Y.	28,808	6	2	.208	33.33
Pueblo, Colo.	47,975	25	1	.521	4.00
Racine, Wis.	42,582	123	8	2.889	6.50
Roanoke, Va.	37,864	95	2	2.509	2.11
Salem, Mass.	45,427	30	1	.638	3.33
San Diego, Cal.	44,470	13	3	.292	23.08
Springfield, Mo.	37,030	5	4	.135	80.00
Superior, Wis.	42,462	64	6	2.214	6.38
Tampa, Fla.	44,587	223	1	5.001	.45
Taunton, Mass.	34,979	50	5	1.429	10.00
Waltham, Mass.	28,806	69	5	2.395	7.25
Waterloo, Iowa	29,847	131	7	4.389	5.34
West Hoboken, N. J.	38,155	104	1	2.726	.96
Wheeling, W. Va.	42,257	274	19	6.484	6.93
Williamsport, Pa.	32,553	45	1	1.382	2.22
Wilmington, N. C.	26,815	57	1	2.126	1.75
Zanesville, Ohio	29,035	161	3	5.545	1.86
From 10,000 to 25,000 inhabitants:					
Aberdeen, S. Dak.	12,903	12	1	.930	8.33
Adams, Mass.	13,448	20	4	1.487	20.00
Adrian, Mich.	11,010	7	1	.636	14.29
Alameda, Cal.	24,929	10		.401	
Alton, Ill.	21,243	21	1	.989	4.76
Anderson, Ind.	22,988	200	9	8.700	4.50
Ann Arbor, Mich.	14,886	7	1	.470	14.29
Arlington, Mass.	11,764	25	1	2.125	4.00
Asbury Park, N. J.	11,519	24	1	2.084	4.17
Ashland, Wis.	11,594	18	1	1.553	5.56
Ashtabula, Ohio	19,440	33		1.698	
Auburn, Me.	15,537	23	4	1.480	17.39
Beaver Falls, Pa.	12,668	32		2.526	
Beloit, Wis.	16,172	7	1	.433	14.29
Berlin, N. H.	12,427	176	16	14.163	9.09
Bessemer, Ala.	14,164	7		.494	
Bethlehem, Pa.	13,300	32	3	2.406	9.38
Beverly, Mass.	19,715	11	1	.558	9.09
Biddeford, Me.	17,287		5		
Bloomfield, N. J.	16,278	10		.614	
Bradford, Pa.	2 14,544	9		.619	
Butler, Pa.	23,448	60		2.559	
Canton, Ill.	11,321	15	2	1.325	13.33
Carbondale, Pa.	17,822	28	5	1.571	17.86
Carlisle, Pa.	10,453	3		.287	
Champaign, Ill.	13,163		6		
Clinton, Mass.	2 13,075	12		.918	
Coatesville, Pa.	12,283	25	3	2.035	12.00
Coffeyville, Kans.	15,675	7		.447	
Concord, N. H.	21,913	17	1	.776	5.88
Cumberland, Md.	22,892	41	3	1.791	7.32
Danville, Va.	19,375				
Dover, N. H.	13,255	26	5	1.962	19.23
Dubois, Pa.	13,349	12	1	.899	8.33
East Liverpool, Ohio	21,169	77	6	3.637	7.79
Elwood, Ind.	2 11,028	25	3	2.267	12.00
Escanaba, Mich.	14,009	11	1	.785	9.09
Fargo, N. Dak.	15,126	26		1.719	
Farrell, Pa.	2 10,390	37	3	3.561	8.11
Findlay, Ohio	2 14,858	66	3	4.442	4.55

¹ The health officer states that cases are known not to be completely reported.² United States Census, 1910.

REPORTED PREVALENCE FOR THE YEAR 1912—Continued.

DIPHTHERIA—Continued.

Cities.	Estimated population July 1, 1912.	Cases.	Deaths.	Number of cases reported per 1,000 inhabitants.	Fatality rate per 100 cases.
From 10,000 to 25,000 inhabitants—Continued.					
Fond du Lac, Wis.	19,621	77	2	3.944	2.60
Freeport, Ill.	18,467	55	2	2.978	3.64
Galesburg, Ill.	22,866	30	—	1.312	—
Gary, Ind.	16,802	50	13	2.976	26.00
Grand Forks, N. Dak.	13,757	4	—	.291	—
Grand Island, Nebr.	10,944	11	—	1.005	—
Great Falls, Mont.	13,948	3	—	.215	—
Greenville, S. C.	16,609	27	1	1.626	3.70
Hagerstown, Md.	17,159	115	15	6.702	13.04
Hannibal, Mo.	19,584	2	2	.102	100.00
Harrison, N. J.	15,370	58	6	3.774	10.34
Helena, Mont.	12,904	6	—	.465	—
Holland, Mich.	11,093	2	—	.180	—
Homestead, Pa.	20,049	116	22	5.786	18.97
Ironton, Ohio	13,432	—	3	—	—
Ishpeming, Mich.	12,448	8	—	.643	—
Jackson, Tenn.	16,061	11	2	.685	18.18
Kearney, N. J.	20,395	55	1	2.697	1.82
Keene, N. H.	10,269	2	1	.195	50.00
Keokuk, Iowa	14,008	18	3	1.285	16.67
Kokomo, Ind.	18,361	24	4	1.307	16.67
Leavenworth, Kans.	122,353	19	—	.850	—
Logansport, Ind.	19,686	19	2	.965	10.53
Mahanoy City, Pa.	16,479	—	2	—	—
Mankato, Minn.	10,365	3	—	.289	—
Marinette, Wis.	14,610	.5	—	.342	—
Marion, Ind.	19,555	38	3	1.943	7.89
Marlboro, Mass.	14,795	41	4	2.771	9.76
Masillon, Ohio	14,514	18	—	1.240	—
Meadville, Pa.	13,142	4	1	.304	25.00
Medford, Mass.	24,247	46	3	1.897	6.52
Melrose, Mass.	16,329	18	1	1.102	5.56
Methuen, Mass.	12,327	6	1	.487	16.67
Middletown, Conn.	12,357	45	—	3.042	—
Middletown, Ohio	14,031	68	5	4.846	7.35
Millville, N. J.	12,868	33	1	2.565	3.03
Montclair, N. J.	23,246	13	—	.559	—
Nanticoke, Pa.	20,388	22	2	1.079	9.09
Newburyport, Mass.	15,053	13	—	.864	—
North Adams, Mass.	122,019	20	7	.908	35.00
North Yakima, Wash.	16,525	6	1	.363	16.67
Norwood, Ohio	18,354	26	3	1.417	11.54
Ottumwa, Iowa	22,838	11	3	.482	27.27
Palestine, Tex.	10,970	10	2	.912	20.00
Parsons, Kans.	13,790	46	—	3.336	—
Peabody, Mass.	16,660	5	1	.300	20.00
Petersburg, Va.	24,644	13	2	.528	15.38
Phoenix, Ariz.	15,081	32	2	2.122	6.25
Pine Bluff, Ark.	15,890	6	—	.378	—
Pittsburg, Kans.	15,419	25	4	1.621	16.00
Pomona, Cal.	11,254	3	1	.267	33.33
Port Huron, Mich.	18,863	11	2	.583	18.18
Pottstown, Pa.	16,023	3	1	.187	33.33
Raleigh, N. C.	19,541	12	—	.614	—
Revere, Mass.	19,968	29	2	1.452	6.90
Riverside, Cal.	16,831	6	2	.356	33.33
Rutland, Vt.	14,003	7	1	.500	14.29
Salem, Oreg.	16,293	2	—	.123	—
San Bernardino, Cal.	14,261	10	1	.701	10.00
Sandusky, Ohio	20,060	17	—	.847	—
Sault Ste. Marie, Mich.	13,079	26	3	1.988	11.54
Sharon, Pa.	16,242	98	5	6.034	5.10
Sioux Falls, S. Dak.	14,886	20	2	1.344	10.00
South Bethlehem, Pa.	21,477	69	9	3.217	13.04
Southbridge, Mass.	13,166	8	—	.608	—
Steelton, Pa.	14,705	49	4	3.332	8.16
Traverse City, Mich.	12,720	9	1	.708	11.11
Trinidad, Colo.	11,290	9	—	.797	—
Wakefield, Mass.	11,877	12	—	1.010	—
Walla Walla, Wash.	21,415	—	1	—	—
Warren, Ohio	11,585	8	1	.691	12.50
Washington, Pa.	19,790	65	1	3.252	1.54
Waukegan, Ill.	17,553	42	7	2.393	16.67

August 21, 1914

REPORTED PREVALENCE FOR THE YEAR 1912—Continued.

DIPHTHERIA—Continued.

Cities.	Estimated population July 1, 1912.	Cases.	Deaths.	Number of cases reported per 1,000 inhabitants.	Fatality rate per 100 cases.
From 10,000 to 25,000 inhabitants—Continued.					
Webb City, Mo.	12,777	5
Webster, Mass.	12,113	36	4	2,972	11.11
Westfield, Mass.	16,879	19	1	1,126	5.26
West New York, N. J.	15,413	37	2,401
West Orange, N. J.	11,894	44	1	3,699	2.27
Willimantic, Conn.	11,742	121	17	10,305	14.05
Woburn, Mass.	15,542	20	1	1,287	5.00

MALARIA.

Cities.	Estimated population July 1, 1912.	Cases.	Deaths.
Alameda, Cal.	24,929	5
Augusta, Ga.	48,660	27
Berkeley, Cal.	46,558	13
Bessemer, Ala.	14,164	3
Camden, N. J.	98,697	1
Canton, Ill.	11,321	8
Cumberland, Md.	22,892	1	1
Galveston, Tex.	38,716	1
Greenville, S. C.	16,609	324	5
Houston, Tex.	86,316	40
Lancaster, Pa.	48,517	2
Mankato, Minn.	110,365	2
Montclair, N. J.	23,246	3
Norfolk, Va.	83,470	6
Norristown, Pa.	29,129	2
North Yakima, Wash.	16,525	1
Petersburg, Va.	24,644	6
Roanoke, Va.	37,864	1
Sacramento, Cal.	53,340	4
Springfield, Mo.	37,030	1
Tampa, Fla.	44,587	591	12
Wilmington, N. C.	26,815	118	12
Winona, Minn.	118,583	1

¹ United States census, 1910.

MEASLES.

Cities.	Estimated population July 1, 1912.	Cases.	Deaths.	Number of cases reported per 1,000 inhabitants.	Fatality rate per 100 cases.
From 50,000 to 100,000 inhabitants:					
Akron, Ohio	74,957	72	1	0.961	1.39
Allentown, Pa.	57,090	71	1.244
Altoona, Pa.	54,491	1
Binghamton, N. Y.	50,409	58	3	1,151	5.17
Brockton, Mass.	60,637	1,246	11	20,549	.88
Camden, N. J.	98,697	44446
Canton, Ohio	54,000	2
Duluth, Minn.	84,168	17202
Elizabeth, N. J.	78,135	275	4	3,520	1.45
Erie, Pa.	69,608	1,668	7	9,597	1.05
Fort Worth, Tex.	84,427	17201
Harrisburg, Pa.	66,971	1,1,250	5	18,685	.40
Houston, Tex.	86,316	1
Johnstown, Pa.	60,762	240	3,950
Kansas City, Kans.	86,824	53610

¹ The health officer states that cases are known not to be completely reported.

REPORTED PREVALENCE FOR THE YEAR 1912—Continued.

MEASLES—Continued.

Cities.	Estimated population July 1, 1912.	Cases.	Deaths.	Number of cases reported per 1,000 inhabitants.	Fatality rate per 100 cases.
From 50,000 to 100,000 inhabitants—Continued.					
Lawrence, Mass.	91,108	139	13	1.526	9.35
Lynn, Mass.	93,991	337	1	3.585	.29
Norfolk, Va.	83,470	51611
Oklahoma City, Okla.	83,194	21253
Passaic, N. J.	60,899	1 656	10	10.788	1.52
Pawtucket, R. I.	54,391	11	5	.202	45.45
Reading, Pa.	99,896	344	2	3.444	.58
Sacramento, Cal.	53,340	359	9	6.730	2.51
St. Joseph, Mo.	80,188	316	28	3.941	8.86
Schenectady, N. Y.	82,103	909	14	11.071	1.54
Somerville, Mass.	80,723	490	1	6.070	.20
South Bend, Ind.	61,296	1 8131
Springfield, Ill.	54,979	78	1.419
Springfield, Mass.	94,933	598	9	6.299	1.51
Troy, N. Y.	77,204	652	17	8.445	2.61
Wilkes-Barre, Pa.	70,544	1,408	6	19.959	.43
From 25,000 to 50,000 inhabitants:					
Augusta, Ga.	48,660	1 837	4	17.201	.48
Aurora, Ill.	31,840	3
Berkeley, Cal.	46,558	447	9.601
Butte, Mont.	43,540	8197
Chattanooga, Tenn.	47,339	1
Chelsea, Mass.	2 32,052	420	1	3.087	.24
Colorado Springs, Colo.	30,493	8263
Danville, Ill.	29,415	19646
Decatur, Ill.	35,526	12338
Easton, Pa.	29,234	16547
East Orange, N. J.	37,246	315	8.457
Elmira, N. Y.	57,512	606	4	16.155	.66
El Paso, Tex.	44,645	10224
Evanston, Ill.	26,257	138	1	5.256	.72
Everett, Mass.	35,529	268	2	7.543	.75
Fitchburg, Mass.	53,233	77	1	1.963	1.30
Flint, Mich.	44,322	115	2.595
Galveston, Tex.	38,116	1026
Green Bay, Wis.	26,700	1037
Haverhill, Mass.	45,665	1 457	7	10.008	1.53
Joliet, Ill.	35,558	1
Kalamazoo, Mich.	42,798	20467
Knoxville, Tenn.	37,174	88	1	2.367	1.14
Lancaster, Pa.	45,517	1,158	23.868
Lansing, Mich.	34,526	21608
Lexington, Ky.	37,031	163	4.399
Lincoln, Nebr.	44,873	58	3	1.293	5.17
Little Rock, Ark.	45,710	23472
Lynchburg, Va.	30,720	599	4	19.499	.67
Malden, Mass.	46,395	467	9.978
McKeesport, Pa.	44,413	630	3	14.185	.48
Montgomery, Ala.	39,773	1 138	1	3.470	.72
Mount Vernon, N. Y.	33,085	605	6	18.286	.99
Muskogee, Okla.	32,183	2062
Newburgh, N. Y.	28,443	90	4	3.164	4.44
Newton, Mass.	41,195	774	18.789
Norristown, Pa.	29,129	596	1	20.461	.17
Ogden, Utah	27,652	35	1.266
Orange, N. J.	30,557	186	6.028
Pasadena, Cal.	35,848	10279
Pittsfield, Mass.	34,435	20581
Portsmouth, Va.	35,435	3085
Poughkeepsie, N. Y.	28,808	109	1	3.784	.92
Pueblo, Colo.	47,975	1 4083
Roanoke, Va.	37,864	588	2	15.529	.34
Salem, Mass.	45,427	58	1.277
San Diego, Cal.	44,470	65	1.462
Springfield, Mo.	37,030	3081
Superior, Wis.	42,462	1
Taunton, Mass.	34,979	4114
Waltham, Mass.	28,806	571	3	19.822	.53
Wheeling, W. Va.	42,257	221	5.230
Williamsport, Pa.	32,553	565	17.356
Wilmington, N. C.	26,815	126	4.699

¹ The health officer states that cases are known not to be completely reported.

² United States census, 1910.

August 21, 1914

REPORTED PREVALENCE FOR THE YEAR 1912—Continued.

MEASLES—Continued.

Cities.	Estimated population July 1, 1912.	Cases.	Deaths.	Number of cases reported per 1,000 inhabitants.	Fatality rate per 100 cases.
From 10,000 to 25,000 inhabitants:					
Aberdeen, S. Dak.	12,903	4	0.310
Adams, Mass.	13,448	1074
Adrian, Mich.	11,010	20	1.817
Alameda, Cal.	24,929	249	9.988
Anderson, Ind.	22,988	30	1.305
Ann Arbor, Mich.	14,886	28	1.881
Arlington, Mass.	11,764	31	2.635
Asbury Park, N. J.	11,519	52	4.514
Ashland, Wis.	11,594	257	5	22.167	1.95
Beaver Falls, Pa.	12,668	29	2.289
Beloit, Wis.	16,172	2 1062
Berlin, N. H.	12,427	2 2161
Bessemer, Ala.	14,164	6
Bethlehem, Pa.	13,300	40	3.008
Beverly, Mass.	19,715	42	2.130
Biddeford, Me.	17,287	3
Bloomfield, N. J.	16,278	32	1	1.966	3.13
Bradford, Pa.	1 14,544	412	28.328
Butler, Pa.	23,448	77	3.284
Canton, Ill.	11,321	54	3	4.770	5.56
Carbondale, Pa.	17,822	202	11.334
Carlisle, Pa.	10,453	183	17.507
Champaign, Ill.	13,163	1
Clinton, Mass.	1 13,075	570	43.595
Coatesville, Pa.	12,283	260	5	21.167	1.92
Coffeyville, Kans.	15,675	10638
Concord, N. H.	21,913	321	2	14.649	.62
Cumberland, Md.	22,892	602	4	21.929	.80
Dover, N. H.	13,255	3226
Dubois, Pa.	13,349	34	2.547
Farrell, Pa.	1 10,390	107	2	10.298	1.87
Findlay, Ohio.	1 14,858	72	1	4.846	1.39
Freeport, Ill.	18,467	11596
Gary, Ind.	1 16,802	101	5	6.011	4.95
Grand Forks, N. Dak.	13,757	1073
Great Falls, Mont.	1 13,948	9645
Greenville, S. C.	16,609	88	8	5.298	9.09
Hagerstown, Md.	17,159	2 459	9	26.750	1.96
Hannibal, Mo.	19,584	1	1	100.00
Harrison, N. J.	15,370	7	1	.455	14.29
Helena, Mont.	12,904	21	1.627
Holland, Mich.	11,093	47	4.237
Homestead, Pa.	20,049	85	2	4.240	2.35
Ironton, Ohio.	13,432	2
Ishpeming, Mich.	1 12,448	9723
Jackson, Tenn.	16,061	5311
Kearny, N. J.	20,395	155	1	7.600	.65
Keene, N. H.	10,269	261	2	25.416	.77
Kokomo, Ind.	18,361	12	1	.654	8.33
Leavenworth, Kans.	1 22,353	4179
Logansport, Ind.	19,686	10508
Mahanoy City, Pa.	16,479	2
Mankato, Minn.	1 10,365	2 4386
Marinette, Wis.	1 14,610	12821
Marion, Ind.	19,555	2 8409
Marlboro, Mass.	14,795	16	1.081
Masillon, Ohio.	14,514	4276
Meadville, Pa.	13,142	230	1	17.501	.43
Methuen, Mass.	12,327	38	3.083
Middletown, Conn.	12,357	67	5.422
Middletown, Ohio.	14,031	1
Medford, Mass.	24,247	588	24.250
Melrose, Mass.	16,329	381	1	23.333	.26
Millville, N. J.	12,868	93	7.227
Montclair, N. J.	23,246	129	5.549
Nanticoke, Pa.	20,388	186	2	9.123	1.08
Newburyport, Mass.	15,053	2133
North Adams, Mass.	1 22,019	72	3.270
North Yakima, Wash.	16,525	88	5.325
Norwood, Ohio.	18,354	2 35	1.907
Parsons, Kans.	13,790	233	16.896

¹ United States Census, 1910.² The health officer states that cases are known not to be completely reported.

REPORTED PREVALENCE FOR THE YEAR 1912—Continued.

MEASLES—Continued.

Cities.	Estimated population July 1, 1912.	Cases.	Deaths.	Number of cases reported per 1,000 inhabitants.	Fatality rate per 100 cases.
From 10,000 to 25,000 inhabitants—Continued.					
Peabody, Mass.	16,660	18	1	1.080	5.56
Petersburg, Va.	24,644	230	1.217
Phoenix, Ariz.	15,081	2133
Pittsburg, Kans.	15,419	200	1	12.971	.50
Pomona, Cal.	11,254	33267
Port Huron, Mich.	18,863	222	2	11.769	.90
Pottstown, Pa.	16,023	49	3.058
Raleigh, N. C.	19,541	65	3.326
Revere, Mass.	19,968	111	1	5.559	.90
Rutland, Vt.	14,003	10714
Salem, Oreg.	16,293	6368
Sandusky, Ohio	20,060	240	11.964
Sault Ste Marie, Mich.	13,079	216	1.223
Sharon, Pa.	16,242	23	1.416
Sioux Falls, S. Dak.	14,886	47	3.157
South Bethlehem, Pa.	21,477	154	5	7.170	3.25
Southbridge, Mass.	13,166	1
Steelton, Pa.	14,705	48	2	3.284	4.17
Traverse City, Mich.	12,720	8690
Trinidad, Colo.	11,290	20	1.771
Wakefield, Mass.	11,877	13	1.095
Walla Walla, Wash.	21,415	5233
Warren, Ohio	11,585	70	6.042
Washington, Pa.	19,790	225	11.369
Waukegan, Ill.	17,553	203	2	11.907	.96
Webster, Mass.	12,113	98	8.090
Westfield, Mass.	16,879	66	3.910
West Orange, N. J.	11,894	176	1	14.797	.57
Woburn, Mass.	15,512	162	10.423

MENINGITIS (EPIDEMIC CEREBROSPINAL).

From 50,000 to 100,000 inhabitants:					
Akron, Ohio	74,957	5	5	0.067	100.00
Allentown, Pa.	57,030	2	2	.035	100.00
Canton, Ohio	54,000	5
Duluth, Minn.	84,168	1012
Harrisburg, Pa.	66,971	1015
Houston, Tex.	86,316	180	70	2.085	38.89
Johnstown, Pa.	60,762	1	1	.016	100.00
Kansas City, Kans.	86,324	181	2.085
Lynn, Mass.	93,991	1011
Norfolk, Va.	83,470	5
Oklahoma City, Okla.	83,194	23	11	.276	47.83
Passaic, N. J.	60,800	1	2	.016
Pawtucket, R. I.	54,291	2
Reading, Pa.	99,896	2020
St. Joseph, Mo.	80,188	4
Schenectady, N. Y.	82,103	21	1	.012	100.00
Somerville, Mass.	80,723	9	1	.111	11.11
Springfield, Mass.	94,933	2	4	.021
Troy, N. Y.	77,304	1	1	.013	100.00
Wilkes-Barre, Pa.	70,544	1	1	.014	100.00
Yonkers, N. Y.	86,920	4	4	.046	100.00
From 25,000 to 50,000 inhabitants:					
Augusta, Ga.	48,660	3
Austin, Tex.	31,622	17	8	.538	47.06
Berkeley, Cal.	46,558	1	3	.021
Butte, Mont.	40,540	(?)	6
Cedar Rapids, Iowa	34,410	24	1	.116	25.00
Chattanooga, Tenn.	47,339	24	4	.084	100.00
Council Bluffs, Iowa	30,072	4	1	.133	25.00
Easton, Pa.	29,234	7
East Orange, N. J.	37,246	2	2	.054	100.00
El Paso, Tex.	44,645	40	22	.896	55.00
Evanston, Ill.	26,257	5	3	.190	60.00
Everett, Mass.	35,529	1028
Fitchburg, Mass.	39,233	3	1	.076	33.33

¹ United States census, 1910.² The health officer states that cases are known not to be completely reported.³ Two deaths occurred in cases imported for treatment.

August 21, 1914

REPORTED PREVALENCE FOR THE YEAR 1912—Continued.

MENINGITIS (EPIDEMIC CEREBROSPINAL)—Continued.

Cities.	Estimated population July 1, 1912.	Cases.	Deaths.	Number of cases reported per 1,000 inhabitants.	Fatality rate per 100 cases.
From 25,000 to 50,000 inhabitants—Continued.					
Galveston, Tex.	38,716	95	37	2,453	38.95
Green Bay, Wis.	26,700	1
Haverhill, Mass.	45,665	35	21	.766	60.00
Joliet, Ill.	35,858	14
Kalamazoo, Mich.	42,798	2	2	.047	100.00
Lansing, Mich.	34,526	1029
Lexington, Ky.	37,051	10	1	.270	10.00
McKeesport, Pa.	44,413	3	3	.067	100.00
Mount Vernon, N. Y.	33,085	1
Newburgh, N. Y.	28,443	6	2	.211	33.33
Ogden, Utah	27,652	4	4	.145	100.00
Orange, N. J.	30,857	3	3	.097	100.00
Oshkosh, Wis.	34,130	7
Pittsfield, Mass.	34,435	10	10	.290	100.00
Pueblo, Colo.	47,975	1	1	.021	100.00
Roanoke, Va.	37,864	3	3	.079	100.00
Springfield, Mo.	37,030	19
Superior, Wis.	42,462	2
Tampa, Fla.	44,587	7
Tavinton, Mass.	34,979	1	1	.029	100.00
Waltham, Mass.	28,806	2069
Waterloo, Iowa	29,847	5	1	.168	20.00
West Hoboken, N. J.	38,155	2	1	.052	50.00
From 10,000 to 25,000 inhabitants:					
Adrian, Mich.	11,010	1	1	.091	100.00
Alameda, Cal.	24,929	1	1	.040	100.00
Anderson, Ind.	22,988	8	1	.348	12.50
Arlington, Mass.	11,764	3
Asbury Park, N. J.	11,519	1
Ashland, Wis.	11,594	6	3	.518	50.00
Bessemer, Ala.	14,164	3	3	.212	100.00
Beverly, Mass.	19,715	2	1	.101	50.00
Biddeford, Me.	17,287	7
Canton, Ill.	11,321	6	2	.530	33.33
Carbondale, Pa.	17,822	1	1	.056
Champaign, Ill.	13,163	4
Coatesville, Pa.	12,283	3	2	.244	66.67
Cumberland, Md.	22,892	2	2	.087	100.00
Escanaba, Mich.	14,009	3	3	.214	100.00
Findlay, Ohio	14,858	3	3	.202	100.00
Hannibal, Mo.	19,584	1	1	.051	100.00
Ironton, Ohio	13,432	6
Ishpeming, Mich.	12,448	3241
Keokuk, Iowa	14,008	1071
Marlboro, Mass.	14,795	1	1	.068	100.00
Methuen, Mass.	12,327	1081
Middletown, Ohio	14,031	3	2	.214	66.67
Medford, Mass.	24,247	12
Montclair, N. J.	23,246	2086
North Yakima, Wash.	16,525	1	1	.061	100.00
Norwood, Ohio	18,354	2	2	.109	100.00
Ottumwa, Iowa	22,838	3
Palestine, Tex.	10,970	50	10	4.558	20.00
Peabody, Mass.	16,660	2	2	.120	100.00
Pine Bluff, Ark.	15,890	3	2	.189	66.67
Pittsburg, Kans.	15,419	8	3	.519	37.50
Port Huron, Mich.	18,863	1053
Pottstown, Pa.	16,023	8
Sharon, Pa.	16,242	1062
Sioux Falls, S. Dak.	14,886	7
South Bethlehem, Pa.	21,477	1047
Webster, Mass.	12,113	1	1	.083	100.00

POLIOMYELITIS (INFANTILE PARALYSIS).

From 50,000 to 100,000 inhabitants:					
Akron, Ohio	74,957	3	0.040
Allentown, Pa.	57,090	5	1	.088	20.00
Binghamton, N. Y.	50,409	2040

¹ United States census, 1910.² The health officer states that cases are known not to be completely reported.

REPORTED PREVALENCE FOR THE YEAR 1912—Continued.

POLIOMYELITIS (INFANTILE PARALYSIS)—Continued.

Cities.	Estimated population July 1, 1912. ¹	Cases.	Deaths.	Number of cases reported per 1,000 inhabitants.	Fatality rate per 100 cases
From 50,000 to 100,000 inhabitants—Continued.					
Camden, N. J.	98,697	2		0.020	
Duluth, Minn.	84,168	3		.036	
Erie, Pa.	69,508	10	1	.144	10.00
Harrisburg, Pa.	66,971	4	2	.060	50.00
Houston, Tex.	86,316	2		.023	
Kansas City, Kans.	86,824	1		.012	
Passaic, N. J.	60,809	1		.016	
Reading, Pa.	99,596	1		.010	
Sacramento, Cal.	53,340	13	4	.244	30.77
St. Joseph, Mo.	80,188	3	1	.037	33.33
Schenectady, N. Y.	22,103	12	2	.024	100.00
Springfield, Mass.	94,933	43	10	.453	23.26
Tacoma, Wash.	94,067	2		.021	
Yonkers, N. Y.	86,929	6		.069	
From 25,000 to 50,000 inhabitants:					
Augusta, Ga.	48,660	1		.021	
Aurora, Ill.	31,840	5		.157	
Berkeley, Cal.	46,558	1		.021	
Cedar Rapids, Iowa.	34,410	11	1	.029	100.00
Chattanooga, Tenn.	47,339	2			
Chelsea, Mass.	32,092	1		.031	
Council Bluffs, Iowa.	30,072	1		.033	
Decatur, Ill.	35,526	5		.141	
Easton, Pa.	29,234	1		.034	
Haverhill, Mass.	45,665	2	1	.044	50.00
Kalamazoo, Mich.	42,798	3	1	.070	33.33
Lancaster, Pa.	48,517	4		.082	
Lansing, Mich.	34,526	3		.087	
Little Rock, Ark.	48,710	11	1	.021	100.00
Malden, Mass.	46,805	1		.021	
Mount Vernon, N. Y.	33,085	1		.030	
Newburgh, N. Y.	28,443	1		.035	
New Castle, Pa.	38,005	8		.210	
Orange, N. J.	30,857	1	1	.032	100.00
Pasadena, Cal.	35,848	13		.084	
Pittsfield, Mass.	34,435	1	1	.029	100.00
Poughkeepsie, N. Y.	28,808	12		.069	
San Diego, Cal.	44,470	14	4	.315	28.57
Springfield, Mo.	37,030	1			
Zanesville, Ohio.	29,035	11		.034	
From 10,000 to 25,000 inhabitants:					
Aberdeen, S. Dak.	12,903	2		.155	
Alameda, Cal.	24,929	1		.040	
Ashland, Wis.	11,594	2		.173	
Bessemer, Ala.	14,164	2		.141	
Bethlehem, Pa.	13,300	3		.226	
Bradford, Pa.	14,544	6	1	.413	16.67
Canton, Ill.	11,321	2	2	.177	100.00
Champaign, Ill.	13,163		1		
Coatesville, Pa.	12,283	1	1	.081	100.00
Coffeyville, Kans.	15,675	4		.255	
Concord, N. H.	21,913	2	1	.091	50.00
Cumberland, Md.	22,892	2	1	.087	50.00
Fond du Lac, Wis.	19,621	1	1	.051	100.00
Keokuk, Iowa.	14,008	2	2	.143	100.00
Middletown, Ohio.	14,031	3	2	.214	66.67
Medford, Mass.	24,247	1		.041	
North Adams, Mass.	22,019	1		.045	
North Yakima, Wash.	16,525	1		.061	
Palestine, Tex.	10,970	1		.091	
Parsons, Kans.	13,790	11			
Pine Bluff, Ark.	15,890	2		.126	
Pottstown, Pa.	16,023	1		.062	
Riverside, Cal.	16,831	12	1	.713	8.33
Rutland, Vt.	14,003	3	2	.214	66.67
San Bernardino, Cal.	14,261	3	1	.210	33.33
Sandusky, Ohio.	20,060	8	2	.399	25.00
South Bethlehem, Pa.	21,477	2	1	.003	50.00
Southbridge, Mass.	13,166	1		.076	
Virginia, Minn.	12,151	1	1	.082	100.00
Westfield, Mass.	16,879	5	2	.296	40.00

¹ The health officer states that cases are known not to be completely reported.² United States census, 1910.

August 21, 1914

REPORTED PREVALENCE FOR THE YEAR 1912—Continued.

RABIES.

Cities.	Estimated population July 1, 1912.	Cases.	Deaths.	Number of cases reported per 1,000 inhabitants.	Fatality rate per 100 cases.
El Paso, Tex.	44,645	1	1	0.022	100.00
Farrell, Pa.	10,390	1	1	.096	100.00
Joliet, Ill.	35,858	-----	1	-----	-----
Leavenworth, Kans.	122,353	-----	2	-----	-----
Middletown, Ohio	14,031	9	-----	.641	-----
Mount Vernon, N. Y.	33,085	3	-----	.091	-----
Oshkosh, Wis.	34,130	1	-----	.029	-----
Somerville, Mass.	80,723	4	-----	.050	-----
Tampa, Fla.	44,587	2	1	.045	50.00
Virginia, Minn.	12,151	1	1	.082	100.00
West New York, N. J.	15,413	2	-----	.130	-----

SCARLET FEVER.

From 50,000 to 100,000 inhabitants:					
Akron, Ohio	74,957	410	18	5.470	4.39
Allentown, Pa.	57,090	57	-----	.998	-----
Altoona, Pa.	54,491	98	4	1.798	4.08
Binghamton, N. Y.	50,409	29	3	.575	10.34
Brockton, Mass.	60,637	78	3	1.286	3.85
Camden, N. J.	58,697	128	-----	1.297	-----
Canton, Ohio	54,000	102	-----	1.889	-----
Des Moines, Iowa	91,785	57	-----	.621	-----
Duluth, Minn.	84,168	256	1	3.042	.39
Elizabeth, N. J.	78,135	211	13	2.700	6.16
Erie, Pa.	69,608	221	40	3.175	18.10
Fort Worth, Tex.	84,427	57	-----	.675	-----
Harrisburg, Pa.	66,971	223	-----	.343	-----
Houston, Tex.	86,316	99	-----	1.147	-----
Johnstown, Pa.	60,762	82	3	1.350	3.66
Kansas City, Kans.	86,824	42	-----	.484	-----
Lawrence, Mass.	91,108	49	4	.538	8.16
Lynn, Mass.	93,991	180	6	1.915	3.33
Norfolk, Va.	83,470	65	-----	.779	-----
Oklahoma City, Okla.	83,194	12	-----	.144	-----
Passaic, N. J.	60,809	58	7	.954	12.07
Pawtucket, R. I.	54,391	34	2	.625	5.88
Reading, Pa.	99,896	131	-----	1.311	-----
Sacramento, Cal.	53,340	27	-----	.506	-----
Schenectady, N. Y.	82,103	100	-----	1.218	-----
Somerville, Mass.	80,723	157	2	1.945	1.27
South Bend, Ind.	61,296	65	1	1.060	1.54
Springfield, Ill.	54,979	32	-----	.582	-----
Springfield, Mass.	94,933	26	2	.274	3.85
Tacoma, Wash.	94,067	63	1	.670	1.59
Troy, N. Y.	77,204	52	1	.674	1.92
Wilkes-Barre, Pa.	70,544	93	2	1.318	2.15
Wilmington, Del.	89,849	26	-----	.289	-----
Yonkers, N. Y.	86,929	275	4	3.164	1.45
From 25,000 to 50,000 inhabitants:					
Augusta, Ga.	48,660	251	-----	1.048	-----
Aurora, Ill.	31,840	20	-----	.628	-----
Austin, Tex.	31,622	15	-----	.474	-----
Berkeley, Cal.	46,558	13	1	.279	7.69
Butte, Mont.	40,540	91	13	2.245	14.29
Cedar Rapids, Iowa	34,410	252	1	1.511	1.92
Chattanooga, Tenn.	47,339	238	1	.803	2.63
Chelsea, Mass.	132,092	46	1	1.433	2.17
Colorado Springs, Colo.	30,463	28	2	.919	7.14
Council Bluffs, Iowa	30,072	53	3	1.762	5.66
Danville, Ill.	29,415	106	5	3.604	4.72
Decatur, Ill.	35,525	56	1	1.576	1.79
Easton, Pa.	29,234	20	-----	.684	-----
East Orange, N. J.	37,246	72	2	1.933	2.78
Elgin, Ill.	26,767	20	-----	.747	-----
Elmira, N. Y.	37,512	10	1	.267	-----
El Paso, Tex.	44,645	142	12	3.181	8.45
Evanston, Ill.	26,257	61	5	2.323	8.20
Everett, Mass.	35,529	44	1	1.238	2.27

¹ United States census, 1910.² The health officer states that cases are known not to be completely reported.

REPORTED PREVALENCE FOR THE YEAR 1912—Continued.

SCARLET FEVER—Continued.

Cities.	Estimated population July 1, 1912.	Cases.	Deaths.	Number of cases reported per 1,000 inhabitants.	Fatality rate per 100 cases.
From 25,000 to 50,000 inhabitants—Continued.					
Fitchburg, Mass.	39,233	22	1	0.561	4.55
Galveston, Tex.	38,716	21		.542
Green Bay, Wis.	26,700	81	2	3.034	2.47
Haverhill, Mass.	45,665	102	2	2.234	1.96
Kalamazoo, Mich.	42,788	120	4	2.804	3.33
Knoxville, Tenn.	37,174	7		.188
Lancaster, Pa.	48,517	56		1.154
Lansing, Mich.	34,526	14		.405
Lexington, Ky.	37,051	35		.945
Lincoln, Nebr.	44,873	27	2	.602	7.41
Little Rock, Ark.	48,710	51	2	1.047	3.92
Lynchburg, Va.	30,720	109	4	3.548	3.67
Malden, Mass.	46,805	90	2	1.923	2.22
McKeesport, Pa.	44,413	55	2	1.238	3.64
Montgomery, Ala.	39,773	30	1	.754	3.33
Mount Vernon, N. Y.	33,085	53	1	1.602	1.89
Muskogee, Okla.	32,183	1		.031
Newburgh, N. Y.	28,443	51		1.793
New Castle, Pa.	38,005	38		1.000
Newton, Mass.	41,195	50	1	1.214	2.00
Norristown, Pa.	29,129	24		.824
Ogden, Utah.	27,652	43	2	1.555	4.65
Orange, N. J.	30,857	65	1	2.106	1.54
Oshkosh, Wis.	34,130	45	2	1.318	4.44
Pasadena, Cal.	35,848	15		.418
Pittsfield, Mass.	34,435	63	2	1.830	3.17
Portsmouth, Va.	35,465	28	1	.790	3.57
Poughkeepsie, N. Y.	28,808	61	2	2.117	3.28
Pueblo, Colo.	47,975	38	2	.792	5.26
Racine, Wis.	42,582	79	2	1.855	2.53
Roanoke, Va.	37,864	74	1	1.954	1.35
Salem, Mass.	45,427	61		1.343
San Diego, Cal.	44,470	26	1	.555	3.85
Superior, Wis.	42,402	18		.424
Taunton, Mass.	34,979	44		1.258
Waltham, Mass.	28,806	39		1.354
Waterloo, Iowa.	29,847	15		.503
West Hoboken, N. J.	38,155	62	1	1.583	1.61
Wheeling, W. Va.	42,257	29	2	.686	6.90
Williamsport, Pa.	32,553	27		.829
Wilmington, N. C.	26,815	22		.820
Zanesville, Ohio.	29,035	126		.895
From 10,000 to 25,000 inhabitants:					
Aberdeen, S. Dak.	12,903	11	2	.853	18.18
Adams, Mass.	13,448	2		.149
Adrian, Mich.	11,010	29		2.634
Alameda, Cal.	24,929	3		.120
Alton, Ill.	21,243	46	2	2.165	4.35
Anderson, Ind.	22,988	15	2	.653	13.33
Ana Arbor, Mich.	14,886	23		1.545
Arlington, Mass.	11,764	34		2.800
Asbury Park, N. J.	11,519	26		2.257
Ashland, Wis.	21,159	12	4	1.035	3.33
Astabula, Ohio.	19,440	21		1.080
Auburn, Me.	15,537	18		1.159
Beaver Falls, Pa.	12,668	33		2.605
Beloit, Wis.	16,172	10		.989
Berlin, N. H.	12,427	18		1.448
Bessemer, Ala.	14,164	5		.353
Bethlehem, Pa.	13,300	7		.526
Beverly, Mass.	19,715	41	2	2.080	4.88
Bloomfield, N. J.	16,278	12		.737
Bradford, Pa.	21,544	2		.138
Butler, Pa.	23,448	8		.341
Canton, Ill.	11,321	5		.442
Carbondale, Pa.	17,822	77	1	4.321	1.30
Carlisle, Pa.	10,453	1		.096
Champaign, Ill.	13,163		1
Clinton, Mass.	21,075	9		.688
Coatesville, Pa.	12,283	12	1	.977	8.33
Confreyville, Kans.	15,675	5		.319
Concord, N. H.	21,913	7		.319

1 The health officer states that cases are known not to be completely reported.

2 United States census, 1910.

REPORTED PREVALENCE FOR THE YEAR 1912—Continued.

SCARLET FEVER—Continued.

Cities.	Estimated population July 1, 1912.	Cases.	Deaths.	Number of cases reported per 1,000 inhabitants.	Fatality rate per 100 cases.
From 10,000 to 25,000 inhabitants—Continued.					
Cumberland, Md.	22,892	34	2	1.485	5.88
Dover, N. H.	13,255	10754
Dubois, Pa.	13,349	13974
East Liverpool, Ohio	21,169	59	2.787
Elwood, Ind.	¹ 11,028	1091
Escanaba, Mich.	14,009	36	2	2.570	5.56
Eureka, Cal.	12,854	2156
Fargo, N. Dak.	15,126	34	2.248
Farrell, Pa.	¹ 10,390	22	3	2.117	13.64
Findlay, Ohio	¹ 14,858	30	1	2.019	3.33
Fond du Lac, Wis.	19,621	22	1.121
Freeport, Ill.	18,467	40	2.166
Galesburg, Ill.	22,866	8350
Gary, Ind.	¹ 16,802	29	2	1.726	6.90
Grand Forks, N. Dak.	13,757	11800
Grand Island, Nebr.	10,914	58	1	5.300	1.72
Great Falls, Mont.	¹ 13,948	7	1	.502	14.29
Greenville, S. C.	16,609	19	1.144
Hagerstown, Md.	17,159	37	4	5.070	4.60
Hannibal, Mo.	19,584	6	6	.306	100.00
Harrison, N. J.	15,370	17	1	1.106	5.88
Holland, Mich.	11,093	10901
Homestead, Pa.	20,049	35	1	1.746	2.86
Ironton, Ohio	13,432	3
Ishpeming, Mich.	¹ 12,448	7562
Jackson, Tenn.	16,061	8498
Kearny, N. J.	20,395	25	1.226
Keene, N. H.	10,269	5	1	.487	20.00
Keokuk, Iowa	¹ 14,008	11755
Kokomo, Ind.	18,361	32	1	1.743	3.12
Leavenworth, Kans.	¹ 22,353	68	11	3.042	16.18
Logansport, Ind.	19,695	17864
Mahanoy City, Pa.	16,479	3
Mankato, Minn.	¹ 10,365	18	1.737
Marinette, Wis.	¹ 14,610	10684
Marion, Ind.	19,555	10	1	.511	10.00
Marlboro, Mass.	14,795	12811
Massillon, Ohio	14,514	19	2	1.309	10.53
Meadville, Pa.	13,142	1076
Methuen, Mass.	12,327	19	2	1.541	10.53
Middletown, Conn.	12,357	9728
Middletown, Ohio	14,031	17	1.212
Medford, Mass.	24,247	66	1	2.722	1.52
Millville, N. J.	12,868	15	1.166
Montclair, N. J.	23,246	36	1	1.549	2.78
Nanticoke, Pa.	20,388	5	1	.245	20.00
Newburyport, Mass.	15,053	12797
North Adams, Mass.	¹ 22,019	7318
North Yakima, Wash.	16,525	12726
Norwood, Ohio	18,354	40	2.179
Ottumwa, Iowa	22,838	54	2.364
Palestine, Tex.	10,970	27	2.461
Parsons, Kans.	13,790	87	6.309
Petersburg, Va.	24,644	11446
Phoenix, Ariz.	15,081	91	4	6.034	4.40
Pine Bluff, Ark.	15,890	11692
Pittsburg, Kans.	15,419	60	4	3.891	6.67
Pomona, Cal.	11,254	16	1.422
Port Huron, Mich.	¹ 18,863	5265
Pottstown, Pa.	16,023	14	2	.874	14.29
Raleigh, N. C.	19,541	21	1.075
Revere, Mass.	19,968	35	1.753
Riverside, Cal.	16,831	11654
Rutland, Vt.	14,003	6428
Salem, Ore.	16,293	10614
Sandusky, Ohio	20,060	8309
Sault Ste. Marie, Mich.	13,079	4306
Sharon, Pa.	16,242	12739
South Bethlehem, Pa.	21,477	5233
Southbridge, Mass.	13,166	2152
Steelton, Pa.	14,705	1068
Traverse City, Mich.	12,720	59	4.638

¹ United States census, 1910.

August 21, 1914.

2192

REPORTED PREVALENCE FOR THE YEAR 1912—Continued.

SCARLET FEVER—Continued.

Cities.	Estimated population July 1, 1912.	Cases.	Deaths.	Number of cases reported per 1,000 inhabitants.	Fatality rate per 100 cases.
From 10,000 to 25,000 inhabitants—Continued.					
Trinidad, Colo.	11,290	57	14	5,049	24.56
Virginia, Minn.	12,151	3	—	.247	—
Wakefield, Mass.	11,377	19	—	1,600	—
Walla Walla, Wash.	21,415	4	—	.187	—
Warren, Ohio.	11,585	8	—	.691	—
Washington, Pa.	19,790	16	—	.808	—
Waukegan, Ill.	17,553	46	1	2,621	2.17
Webb City, Mo.	12,777	—	1	—	—
Webster, Mass.	12,113	1	—	.083	—
Westfield, Mass.	16,379	20	—	1,186	—
West New York, N. J.	15,413	36	—	2,336	—
West Orange, N. J.	11,894	35	—	2,943	—
Willimantic, Conn.	11,742	2	—	.170	—
Woburn, Mass.	15,542	14	—	.901	—

SMALLPOX.

From 50,000 to 100,000 inhabitants:					
Akron, Ohio	74,957	1	—	0.013	—
Altoona, Pa.	54,491	1	—	.018	—
Canton, Ohio	54,000	1	—	.019	—
Des Moines, Iowa	91,785	44	—	.479	—
Duluth, Minn.	84,168	147	—	1,747	—
Fort Worth, Tex.	84,427	182	37	2,156	20.33
Harrisburg, Pa.	66,971	135	—	.523	—
Houston, Tex.	86,316	47	12	.545	25.53
Johnstown, Pa.	60,762	8	—	.132	—
Kansas City, Kans.	86,824	26	—	.299	—
Lynn, Mass.	93,991	1	—	.011	—
Norfolk, Va.	83,470	35	—	.419	—
Oklahoma City, Okla.	83,194	7	—	.084	—
Passaic, N. J.	60,809	1	—	.016	—
Pawtucket, R. I.	54,391	2	—	.037	—
Sacramento, Cal.	53,840	29	—	.544	—
St. Joseph, Mo.	80,188	2	—	.025	—
Schenectady, N. Y.	82,103	1	—	.012	—
South Bend, Ind.	61,296	28	7	.457	25.00
Springfield, Ill.	54,979	16	—	.291	—
Tacoma, Wash.	94,067	17	1	.181	5.88
Wilkes-Barre, Pa.	70,544	1	—	.014	—
From 25,000 to 50,000 inhabitants:					
Augusta, Ga.	48,660	128	—	.575	—
Aurora, Ill.	31,840	2	—	.063	—
Austin, Tex.	31,622	5	—	.158	—
Berkeley, Cal.	46,558	3	1	.064	—
Butte, Mont.	40,540	17	—	.419	—
Cedar Rapids, Iowa	34,410	9	—	.262	—
Chattanooga, Tenn.	47,339	14	—	.296	—
Chelsea, Mass.	32,092	5	—	.156	—
Colorado Springs, Colo.	30,463	3	—	.098	—
Council Bluffs, Iowa	30,072	62	1	2,062	1.61
Danville, Ill.	29,415	9	—	.306	—
Dubuque, Iowa	38,984	3	—	.077	—
Elgin, Ill.	26,767	56	—	2,092	—
El Paso, Tex.	44,645	91	18	2,038	19.78
Flint, Mich.	44,322	11	—	.248	—
Galveston, Tex.	38,716	1	—	.026	—
Green Bay, Wis.	26,700	92	—	3,446	—
Kalamazoo, Mich.	42,798	47	—	1,098	—
Knoxville, Tenn.	37,174	124	—	3,336	—
Lansing, Mich.	34,526	5	—	.145	—
Lexington, Ky.	37,051	2	—	.064	—
Lincoln, Nebr.	44,873	10	—	.223	—
Little Rock, Ark.	48,710	8	—	.164	—
Montgomery, Ala.	39,773	14	—	.352	—
Ogden, Utah	27,652	137	—	4,954	—
Oshkosh, Wis.	34,130	13	—	.381	—
Pasadena, Cal.	35,848	8	2	.223	25.00
Portsmouth, Va.	35,465	92	—	2,594	—

¹ The health officer states that cases are known not to be completely reported.² United States census, 1910.

August 21, 1914

REPORTED PREVALENCE FOR THE YEAR 1912—Continued.

SMALLPOX—Continued.

Cities.	Estimated population July 1, 1912.	Cases.	Deaths.	Number of cases reported per 1,000 inhabitants.	Fatality rate per 100 cases.
From 25,000 to 50,000 inhabitants—Continued.					
Pueblo, Colo.	47,975	2		0.042	
Roanoke, Va.	37,864	7		.185	
Salem, Mass.	45,427	106		2.333	
San Diego, Cal.	44,470	14		.315	
Superior, Wis.	42,462	23		.542	
Tampa, Fla.	44,587	35		.785	
Waterloo, Iowa.	29,847	20		.670	
West Hoboken, N. J.	38,155	1		.026	
Wilmington, N. C.	26,815	65	1	2.424	1.54
Zanesville, Ohio.	29,035	160		2.066	
From 10,000 to 25,000 inhabitants:					
Abberdeen, S. Dak.	12,903	85		6.588	
Alameda, Cal.	24,929	1		.040	
Alton, Ill.	21,243	2		.094	
Anderson, Ind.	22,988	30		1.305	
Ashland, Wis.	21,594	2		.173	
Auburn, Me.	15,537	47		3.025	
Berlin, N. H.	12,427	2		.161	
Bessemer, Ala.	14,161	7		.494	
Beverly, Mass.	19,715	1		.051	
Bloomfield, N. J.	16,278	1		.061	
Canton, Ill.	11,321	10		.883	
Carbondale, Pa.	17,822	82		4.601	
Champaign, Ill.	13,163		1		
Clinton, Mass.	21,075	1		.076	
Coatesville, Pa.	12,283	7		.570	
Cumberland, Md.	22,892	14		.612	
Dover, N. H.	13,255	1		.075	
East Liverpool, Ohio.	21,169	3		.142	
Elwood, Ind.	21,028	2		.181	
Fargo, N. Dak.	15,126	27		1.785	
Findlay, Ohio.	21,458	1		.067	
Fond du Lac, Wis.	19,621	2		.102	
Freeport, Ill.	18,467	13	1	.704	7.69
Galesburg, Ill.	22,866	3		.131	
Grand Forks, N. Dak.	13,757	12		.872	
Great Falls, Mont.	21,948	9		.445	
Greenville, S. C.	16,609	7		.421	
Helena, Mont.	12,904	2		.155	
Keokuk, Iowa.	21,008	2		.143	
Kokomo, Ind.	18,361	181		9.858	
Leavenworth, Kans.	22,353	5		.224	
Logansport, Ind.	19,686	9		.457	
Mankato, Minn.	21,035	5		.482	
Marinette, Wis.	14,610	1		.068	
Marion, Ind.	19,555	205		10.483	
Newburyport, Mass.	15,053	10		.664	
North Yakima, Wash.	16,525	163		3.812	
Norwood, Ohio.	18,354	2		.109	
Parsons, Kans.	13,790	1		.073	
Petersburg, Va.	24,644	17		.690	
Phoenix, Ariz.	15,081	49		3.249	
Pine Bluff, Ark.	15,890	5		.315	
Pomona, Cal.	11,254	6		.533	
Port Huron, Mich.	21,863	5		.265	
Raleigh, N. C.	19,541	21		1.075	
Rutland, Vt.	14,003	8		.571	
Salem, Oreg.	16,293	37		2.271	
San Bernardino, Cal.	14,261	30		2.104	
Sault Ste. Marie, Mich.	13,079	5		.382	
Trinidad, Colo.	11,290	6		.531	
Virginia, Minn.	12,151	13		1.070	
Walla Walla, Wash.	21,415	4		.187	
Willimantic, Conn.	11,742	87	1	7.409	1.15

¹ The health officer states that cases are known not to be completely reported.² United States census, 1910.

REPORTED PREVALENCE FOR THE YEAR 1912—Continued.

TUBERCULOSIS.

Cities.	Estimated population July 1, 1912.	Cases.	Deaths.	Number of cases reported per 1,000 inhabitants.	Fatality rate per 100 cases.
From 50,000 to 100,000 inhabitants.					
Akron, Ohio.....	74,957	65
Allentown, Pa.....	57,090	1 29	60
Altoona, Pa.....	54,491	1 30	36
Binghamton, N. Y.....	50,409	108	66	2.142	57.11
Brockton, Mass.....	60,637	177	44	2.919	24.86
Camden, N. J.....	98,697	277	2.807
Canton, Ohio.....	54,000	37
Des Moines, Iowa.....	91,785	100
Duluth, Minn.....	84,168	311	124	3.695	39.87
Elizabeth, N. J.....	78,135	168	123	2.150	73.21
Erie, Pa.....	69,608	1 174	74	2.500	42.53
Fort Worth, Tex.....	84,427	1 18
Harrisburg, Pa.....	66,971	1 187	85	2.792	45.45
Houston, Tex.....	86,316	144
Johnstown, Pa.....	60,762	1 05	72	1.728	68.57
Kansas City, Kans.....	86,824	123	1.417
Lawrence, Mass.....	91,108	139	133	1.526	95.68
Lynn, Mass.....	93,991	197	80	2.096	40.61
Norfolk, Va.....	83,470	193
Oklahoma, Okla.....	83,194	1 29	69
Passaic, N. J.....	60,809	93	67	1.529	72.04
Pawtucket, R. I.....	54,391	7
Reading, Pa.....	99,896	1 93	71	.931	76.34
Sacramento, Cal.....	53,340	19	125
St. Joseph, Mo.....	80,188	186	108	2.320	58.06
Schenectady, N. Y.....	82,103	153	101	1.864	66.01
Somerville, Mass.....	80,723	155	78	1.920	50.32
South Bend, Ind.....	61,296	28	7	.457	25.00
Springfield, Ill.....	54,979	75
Springfield, Mass.....	94,933	166	99	1.749	59.64
Tacoma, Wash.....	94,067	124
Troy, N. Y.....	77,204	252	157	3.264	62.30
Wilkes-Barre, Pa.....	70,544	225	40	3.189	17.78
Yonkers, N. Y.....	86,929	196	95	2.255	48.47
From 25,000 to 50,000 inhabitants:					
Augusta, Ga.....	48,660	(1)	84
Aurora, Ill.....	31,840	(1)	34
Austin, Tex.....	31,622	1 2	2	.063	100.00
Bay City, Mich.....	46,153	11	38
Berkeley, Cal.....	46,558	46	42	91.30
Butte, Mont.....	40,540	136
Cedar Rapids, Iowa.....	34,410	29
Chattanooga, Tenn.....	47,339	117
Chelsea, Mass.....	32,092	108	48	3.366	44.44
Colorado Springs, Colo.....	30,463	366	165	12.015	45.08
Council Bluffs, Iowa.....	30,072	18
Danville, Ill.....	29,415	64
Decatur, Ill.....	35,526	42
Easton, Pa.....	29,234	30
East Orange, N. J.....	37,246	58	29	1.557	50.00
Elmira, N. Y.....	37,512	1 29	27	.773	93.10
El Paso, Tex.....	44,645	258
Evanston, Ill.....	26,257	1 27	11	1.028	40.74
Everett, Mass.....	35,529	87	29	2.449	33.33
Fitchburg, Mass.....	39,233	72	22	1.835	30.56
Flint, Mich.....	44,322	55	6	1.241	10.91
Galveston, Tex.....	38,716	97	74	2.505	76.29
Green Bay, Wis.....	26,700	33	12	1.236	36.36
Haverhill, Mass.....	45,665	133	60	2.913	45.11
Joliet, Ill.....	35,858	36
Kalamazoo, Mich.....	42,798	94	56	2.196	59.57
Knoxville, Tenn.....	37,174	1 102	102	2.744	100.00
Lancaster, Pa.....	48,517	69	1.422
Lansing, Mich.....	34,526	15	1	.434	6.67
Lexington, Ky.....	37,051	108	81	2.915	75.00
Lincoln, Nebr.....	44,873	1 8	23
Little Rock, Ark.....	48,710	1 7	94
Lynchburg, Va.....	30,729	109	65	59.63
Malden, Mass.....	46,805	86	33	1.837	38.37
McKeesport, Pa.....	44,413	1 17	44
Montgomery, Ala.....	39,773	1 27	69
Mount Vernon, N. Y.....	33,085	47	18	1.421	38.30

¹The health officer states that cases are known not to be completely reported.²United States census, 1910.

REPORTED PREVALENCE FOR THE YEAR 1912—Continued.

TUBERCULOSIS—Continued.

Cities.	Estimated population July 1, 1912.	Cases.	Deaths.	Number of cases reported per 1,000 inhabitants.	Fatality rate per 100 cases.
From 25,000 to 50,000 inhabitants—Continued.					
Newburgh, N. Y.	28,443	100	62	3.516	62.00
Newton, Mass.	41,495	45	24	1.092	53.33
Norristown, Pa.	29,129	21	26		
Ogden, Utah	27,652	12	12	.434	100.00
Orange, N. J.	30,857	84	67	2.722	79.76
Oshkosh, Wis.	34,130	14	28		
Pasadena, Cal.	35,848	64	17	1.785	26.56
Pittsfield, Mass.	34,435	59	32	1.713	54.24
Portsmouth, Va.	25,465		46		
Poughkeepsie, N. Y.	28,808	77	26	2.673	33.77
Pueblo, Colo.	47,975	120	64		
Racine, Wis.	42,582	183	46	1.949	55.42
Roanoke, Va.	37,864	139	66	3.671	47.48
Salem, Mass.	45,427	96	52	2.113	54.17
San Diego, Cal.	44,470		156		
Springfield, Mo.	37,030		66		
Superior, Wis.	42,462	25	51		
Tampa, Fla.	44,587	185	47	4.149	25.41
Taunton, Mass.	34,979	41	53		
Waltham, Mass.	28,806	44	24	1.527	54.55
West Hoboken, N. J.	38,155	56	17	1.468	30.36
Wheeling, W. Va.	42,257	73	44	1.728	60.27
Williamsport, Pa.	32,553	68	29	2.089	42.65
Wilmington, N. C.	26,815	130	142		
Zanesville, Ohio.	29,035	153	36	1.826	67.92
From 10,000 to 25,000 inhabitants:					
Adams, Mass.	13,448	11	12		
Adrian, Mich.	11,010	3	7		
Alameda, Cal.	24,929	34	24	1.364	70.59
Alpena, Mich.	12,907		17		
Alton, Ill.	21,243		28		
Anderson, Ind.	22,988	20	7	.870	35.00
Arlington, Mass.	11,764	120	17	1.700	85.00
Asbury Park, N. J.	11,519	20	9	1.736	45.00
Ashland, Wis.	21,154	127	6	2.329	22.22
Beaver Falls, Pa.	12,668	16			
Beloit, Wis.	16,172	44	10		
Berlin, N. H.	12,427	5	4	.402	80.00
Bessemer, Ala.	14,164	10	33		
Bethlehem, Pa.	13,300	20	19	1.504	95.00
Beverly, Mass.	19,715	123	8	1.268	32.00
Biddeford, Me.	17,287		27		
Bloomfield, N. J.	16,278	20	5	1.229	25.00
Bradford, Pa.	14,544	18	13	1.237	72.22
Butler, Pa.	23,448	90		3.838	
Carlisle, Pa.	10,453	25	18	2.392	72.00
Champaign, Ill.	13,163		18		
Clinton, Mass.	13,075	31	13	2.371	41.94
Coatesville, Pa.	12,283	45	9	3.664	20.00
Coffeyville, Kans.	15,675	24	12	1.531	50.00
Concord, N. H.	21,913		15		
Cumberland, Md.	22,892	66	31	2.883	46.97
Dover, N. H.	13,255		10		
Dubois, Pa.	13,349	3	10		
East Liverpool, Ohio	21,169	22	31		
Elwood, Ind.	11,028		25		
Escanaba, Mich.	14,009	11	11	.785	100.00
Eureka, Cal.	12,854	7	7	.545	100.00
Farrell, Pa.	10,390		6		
Findlay, Ohio	14,858		19		
Fond du Lac, Wis.	19,621	14	23		
Gary, Ind.	16,802	12	25		
Grand Island, Nebr.	10,944		5		
Greenville, S. C.	16,609	122	32		
Hagerstown, Md.	17,159		54		
Hannibal, Mo.	19,584	26	26	1.328	100.00
Harrison, N. J.	15,370	136	25	2.342	69.44
Holland, Mich.	11,093	4	4	.361	100.00
Homestead, Pa.	20,049	13	23		
Ironton, Ohio.	13,432		30		
Ishpeming, Mich.	12,448	12	7	.964	58.33

¹ The health officer states that cases are known not to be completely reported.² United States census, 1910.

REPORTED PREVALENCE FOR THE YEAR 1912—Continued.

TUBERCULOSIS—Continued.

Cities.	Estimated population July 1, 1912.	Cases.	Deaths.	Number of cases reported per 1,000 inhabitants.	Fatality rate per 100 cases.
From 10,000 to 25,000 inhabitants—Continued.					
Jackson, Tenn.	16,061	31	25	1,930	80.65
Kearny, N. J.	20,395	41	18	2,010	43.90
Kokomo, Ind.	18,361	14	32		
Leavenworth, Kans.	22,353	25	21	1,118	84.00
Logansport, Ind.	19,686	2	22		
Mahanoy City, Pa.	16,479		9		
Mankato, Minn.	10,365	16	30		
Marinette, Wis.	14,610	21	11	1,437	52.38
Marion, Ind.	19,555	11	31		
Marlboro, Mass.	14,795	17	17	1,149	100.00
Methuen, Mass.	12,327	8	6	.649	75.00
Middletown, Conn.	12,357	24		1,942	
Middletown, Ohio	14,031		36		
Medford, Mass.	24,247	28	16	1,155	67.14
Meirose, Mass.	16,329	15	14	.919	93.33
Millville, N. J.	12,868	21	15	1,632	71.43
Montclair, N. J.	23,246	68	23	2,925	33.82
Muscatine, Iowa	16,648		18		
Nanticoke, Pa.	20,388	7	7	.343	100.00
Newburyport, Mass.	15,053	38	16	2,524	42.11
North Adams, Mass.	22,019	34	24	1,544	70.59
North Yakima, Wash.	16,526	132	20	1,936	62.50
Norwood, Ohio	18,354	117	19		
Ottumwa, Iowa	22,838		27		
Parsons, Kans.	13,790	8		.580	
Peabody, Mass.	16,660	15	15	.900	100.00
Petersburg, Va.	24,644	59	85	2,394	
Pittsburg, Kans.	15,419	12	12	.778	100.00
Pomona, Cal.	11,254	16	2	.533	33.33
Port Huron, Mich.	18,863	11	11	.583	100.00
Pottstown, Pa.	16,023	1	29	.062	
Raleigh, N. C.	19,541	57	51	2,921	89.47
Revere, Mass.	19,968	40	18	2,003	45.00
Riverside, Cal.	16,831		44		
Rutland, Vt.	14,003		8		
Salem, Oreg.	16,293	1	7		
Sandusky, Ohio	20,060		17		
Sault Ste. Marie, Mich.	13,079	11	12		
Sharon, Pa.	16,242	6		.369	
Sioux Falls, S. Dak.	14,886	10	10	.672	100.00
South Bethlehem, Pa.	21,477	67	31	3,120	
Southbridge, Mass.	13,186	12		.152	
Steelton, Pa.	14,705	35	11	2,380	31.43
Traverse City, Mich.	12,720	15	4	.393	80.00
Virginia, Minn.	12,151	2	2	.165	100.00
Walla Walla, Wash.	21,415		12		
Warren, Ohio	11,585	8	5	.691	62.50
Washington, Pa.	19,790	44	23	2,223	52.27
Waukegan, Ill.	17,553		33		
Webb City, Mo.	12,777		34		
Webster, Mass.	12,113	12	7	.991	58.33
Westfield, Mass.	16,879	25	21	1,481	84.00
West New York, N. J.	15,413	49		3,179	
West Orange, N. J.	11,894	23	16	1,934	69.57
Willimantic, Conn.	11,742	12	9	1,022	75.00
Woburn, Mass.	15,542	30	19	1,930	63.33

TYPHOID FEVER.

From 50,000 to 100,000 inhabitants:					
Akron, Ohio	74,957	36	17	0.480	47.22
Allentown, Pa.	57,090	173	15	3,030	8.67
Altoona, Pa.	54,491	52	7	.954	13.46
Binghamton, N. Y.	50,409	64	6	1,270	9.38
Brockton, Mass.	60,637	44	3	.726	6.82
Camden, N. J.	98,697	45		.456	
Canton, Ohio	54,000		8		
Des Moines, Iowa	91,785		11		
Duluth, Minn.	84,168	98	19	1,164	19.39

The health officer states that cases are known not to be completely reported.

United States census, 1910.

August 21, 1914

REPORTED PREVALENCE FOR THE YEAR 1912—Continued.

TYPHOID FEVER—Continued.

Cities.	Estimated population July 1, 1912.	Cases.	Deaths.	Number of cases reported per 1,000 inhabitants.	Fatality rate per 100 cases.
From 50,000 to 100,000 inhabitants—Continued.					
Elizabeth, N. J.	78,135	30	12	0.499	30.77
Erie, Pa.	69,608	87	7	1.250	8.05
Fort Worth, Tex.	84,427	103	21	1.220	20.39
Harrisburg, Pa.	66,971	40	9	.597	22.50
Houston, Tex.	86,316	38
Johnstown, Pa.	60,762	50	6	.763	12.00
Kansas City, Kans.	88,824	123	1.417
Lawrence, Mass.	91,108	62	11	.681	17.74
Lynn, Mass.	93,991	35	4	.372	11.43
Norfolk, Va.	83,470	65	11	.779	16.92
Oklahoma, Okla.	83,194	97	17	1.166	17.53
Passaic, N. J.	60,809	25	6	.411	24.00
Pawtucket, R. I.	54,391	15	1	.276	6.68
Reading, Pa.	99,396	204	31	2.042	15.20
Sacramento, Cal.	63,340	116	26	2.175	22.41
St. Joseph, Mo.	80,188	11
Schenectady, N. Y.	82,103	55	3	.670	5.45
Somerville, Mass.	80,723	43	4	.533	9.30
South Bend, Ind.	61,295	63	15	1.028	23.81
Springfield, Ill.	54,979	94	19	1.710	20.21
Springfield, Mass.	94,933	98	15	1.032	15.31
Tacoma, Wash.	94,067	11	11	.117	100.00
Troy, N. Y.	77,204	31	14	.402	45.16
Wilkes-Barre, Pa.	70,544	38	8	.539	21.05
Wilmington, Del.	89,849	111	24	1.235	21.62
Yonkers, N. Y.	86,929	34	7	.391	20.59
Youngstown, Ohio	86,557	52	14	.601	26.92
From 25,000 to 50,000 inhabitants:					
Aurora, Ill.	31,840	1
Austin, Tex.	31,622	13	1	.411	7.69
Bay City, Mich.	46,153	32	28	.693	87.50
Berkeley, Cal.	46,558	17	4	.365	23.53
Butte, Mont.	40,540	2
Cedar Rapids, Iowa	34,410	12
Chattanooga, Tenn.	47,339	40	20	.845	50.00
Chelsea, Mass.	132,092	20	1	.623	5.00
Colorado Springs, Colo.	30,463	31	3	1.018	9.68
Council Bluffs, Iowa	30,072	60	4	1.995	6.67
Decatur, Ill.	35,526	32	10	.901	31.25
Easton, Pa.	29,234	51	6	1.745	11.76
East Orange, N. J.	37,246	17	2	.456	11.76
Elmira, N. Y.	37,512	42	6	1.120	14.29
El Paso, Tex.	44,645	68	24	1.523	35.29
Evanston, Ill.	26,257	64	4	2.437	6.25
Everett, Mass.	35,529	19	1	.535	5.26
Fitchburg, Mass.	39,233	15382
Flint, Mich.	44,322	55	6	1.241	10.91
Galveston, Tex.	38,716	58	2	1.498	3.45
Green Bay, Wis.	26,700	3	3	.112	100.00
Haverhill, Mass.	45,665	56	6	1.226	10.71
Joliet, Ill.	35,858	20
Kalamazoo, Mich.	42,798	46	10	1.075	21.74
Knoxville, Tenn.	37,174	11	8	.296	72.73
Lancaster, Pa.	48,517	25515
Lansing, Mich.	34,526	80	3	2.317	3.75
Lexington, Ky.	37,051	27	13	.729	48.15
Lincoln, Nebr.	44,873	317	17	7.064	5.36
Little Rock, Ark.	48,710	56	11	1.150	19.64
Lynchburg, Va.	30,720	68	9	2.213	13.24
Malden, Mass.	46,805	25	3	.534	12.00
McKeesport, Pa.	44,413	41	3	.923	7.32
Montgomery, Ala.	39,773	74	9	.861	12.16
Mount Vernon, N. Y.	33,085	16	3	.484	18.75
Muskogee, Okla.	32,183	10311
Newburgh, N. Y.	28,443	76	11	2.672	14.47
New Castle, Pa.	38,005	240	6.315
Newport, R. I.	28,200	1035
Newton, Mass.	41,195	10	3	.243	30.00
Norristown, Pa.	29,129	109	11	3.742	10.09
Ogden, Utah	27,652	8	2	.289	25.00
Orange, N. J.	30,857	18583
Oshkosh, Wis.	34,130	9	7	.264	77.78

¹ United States census, 1910.

REPORTED PREVALENCE FOR THE YEAR 1912—Continued.

TYPHOID FEVER—Continued.

Cities.	Estimated population July 1, 1912.	Cases.	Deaths.	Number of cases reported per 1,000 inhabitants.	Fatality rate per 100 cases.
From 25,000 to 50,000 inhabitants—Continued.					
Pasadena, Cal.	35,848	8	1	.223	12.50
Pittsfield, Mass.	34,435	38	7	1.104	18.42
Portsmouth, Va.	35,465	69	6	1.946	8.70
Poughkeepsie, N. Y.	28,808	24	4	.972	16.68
Pueblo, Colo.	47,975	12	13		
Racine, Wis.	42,582	27	13	.634	48.15
Roanoke, Va.	37,864	103	12	2.720	11.65
Salem, Mass.	45,427	24	4	.528	16.68
San Diego, Cal.	44,470	12	10	.270	83.33
Springfield, Mo.	37,030	22			
Superior, Wis.	42,462	35	4	.824	11.43
Tampa, Fla.	44,587	235	20	5.271	8.51
Taunton, Mass.	34,979	20	5	.572	25.00
Waltham, Mass.	28,806	15	1	.521	6.67
West Hoboken, N. J.	38,155	4		.105	
Wheeling, W. Va.	42,257	157	23	3.715	14.65
Williamsport, Pa.	32,553	25	4	.768	16.00
Wilmington, N. C.	26,815	94	10	3.506	10.64
Zanesville, Ohio.	29,035	176	19	6.062	10.80
From 10,000 to 25,000 inhabitants:					
Adams, Mass.	13,448	9	2	.669	22.22
Adrian, Mich.	11,010	10		.908	
Alameda, Cal.	24,929	16	1	.642	6.25
Alpena, Mich.	12,907		12		
Alton, Ill.	21,243		6		
Anderson, Ind.	22,988	11	2	.479	18.18
Arlington, Mass.	11,764	2		.170	
Asbury Park, N. J.	11,519	11	1	.955	9.09
Ashland, Wis.	11,594	10	1	.863	10.00
Auburn, Me.	15,537	1		.064	
Beaver Falls, Pa.	12,668	52		4.105	
Beloit, Wis.	16,172	2		.124	
Berlin, N. H.	12,427	1		.080	
Bessemer, Ala.	14,164	5	6		
Bethlehem, Pa.	13,300	37	4	2.782	10.81
Beverly, Mass.	19,715	19	2	.964	10.53
Biddeford, Me.	17,287		2		
Bloomfield, N. J.	16,278	20	5	1.229	25.00
Bradford, Pa.	11,454	5		.344	
Butler, Pa.	23,448	26		1.109	
Canton, Ill.	11,321	5	1	.442	20.00
Carbondale, Pa.	17,822	6	4	.337	66.67
Carlisle, Pa.	10,453	3		.287	
Champaign, Ill.	13,163		2		
Clinton, Mass.	13,075	3		.229	
Coatesville, Pa.	12,283	25	3	2.035	12.00
Coffeyville, Kans.	15,675	18	3	1,148	16.67
Concord, N. H.	21,913	15	4	.685	26.67
Cumberland, Md.	22,892	178	10	7.776	5.62
Dover, N. H.	13,255	10		.754	
Dubois, Pa.	13,349	20	2	1.498	10.00
East Liverpool, Ohio.	21,169	12	12	.567	100.00
Elwood, Ind.	11,028		2		
Escanaba, Mich.	14,009	7	3	.500	42.86
Eureka, Cal.	12,354	5	1	.389	20.00
Fargo, N. Dak.	15,126	2		.132	
Farrell, Pa.	10,390	25	2	2.406	8.00
Findlay, Ohio.	11,458	4	2	.269	50.00
Fond du Lac, Wis.	19,621	4	1	.204	25.00
Freeport, Ill.	18,467	57	3	3.087	5.26
Gary, Ind.	11,802	10	7	.595	70.00
Grand Forks, N. Dak.	13,757	14		1.018	
Grand Island, Nebr.	10,944	1	1	.091	100.00
Great Falls, Mont.	13,948	14	1	1.004	7.14
Greenville, S. C.	16,609	9	1	.542	11.11
Hagerstown, Md.	17,159	86	13	5.012	15.12
Hannibal, Mo.	19,584	8	8	.408	100.00
Harrison, N. J.	15,370	5		.325	
Helena, Mont.	12,904	19	2	1,472	10.53
Holland, Mich.	11,093	4		.361	
Homestead, Pa.	20,049	10		.499	

¹United States census, 1910.²The health officer states that cases are known not to be completely reported.

August 21, 1914

REPORTED PREVALENCE FOR THE YEAR 1912—Continued.

TYPHOID FEVER—Continued.

Cities.	Estimated population July 1, 1912.	Cases.	Deaths.	Number of cases reported per 1,000 inhabitants.	Fatality rate per 100 cases.
From 10,000 to 25,000 inhabitants—Continued.					
Ironton, Ohio.....	13,432	15
Ishpeming, Mich.....	12,448	3	241
Jackson, Tenn.....	16,061	18	12	1.121	66.67
Kearny, N. J.....	20,395	13	1	.637	7.69
Keene, N. H.....	10,269	2195
Kokomo, Ind.....	18,361	40	10	2.179	25.00
Leavenworth, Kans.....	122,353	21	2	.984	9.52
Logansport, Ind.....	19,686	97	12	4.927	12.37
Mahanoy City, Pa.....	16,479	2
Mankato, Minn.....	10,365	4386
Marion, Ind.....	19,555	4
Marlboro, Mass.....	14,795	3203
Massillon, Ohio.....	14,514	6413
Meadville, Pa.....	13,142	6	3	.457	50.00
Methuen, Mass.....	12,327	9	1	.730	11.11
Middletown, Conn.....	12,357	13	2	1.052	15.38
Middletown, Ohio.....	14,031	11	4	.784	36.37
Medford, Mass.....	24,247	18742
Melrose, Mass.....	16,329	9	1	.551	11.11
Millville, N. J.....	12,863	18	1.399
Montclair, N. J.....	23,246	15645
Muscatine, Iowa.....	16,648	2
Nanticoke, Pa.....	20,388	3147
Newburyport, Mass.....	15,053	20	3	1.329	15.00
North Adams, Mass.....	12,201	12	2	.543	16.67
North Yakima, Wash.....	16,525	27	4	1.634	14.81
Norwood, Ohio.....	18,354	8	2	.436	25.00
Ottumwa, Iowa.....	22,838	6
Parsons, Kans.....	13,790	1	2
Peabody, Mass.....	16,660	8	2	.480	25.00
Petersburg, Va.....	24,644	39	9	1.583	23.08
Phoenix, Ariz.....	15,081	7	2	.464	28.57
Pittsburg, Kans.....	15,419	30	1	1.946	3.33
Pomona, Cal.....	11,254	2178
Port Huron, Mich.....	18,863	278	24	14.738	8.63
Pottstown, Pa.....	16,023	19	2	1.186	10.53
Raleigh, N. C.....	19,541	70	7	3.582	10.00
Revere, Mass.....	19,968	12601
Riverside, Cal.....	16,831	4
Rutland, Vt.....	14,003	7	1	.500	14.29
Salem, Oreg.....	16,293	5	2	.307	40.00
Sandusky, Ohio.....	20,060	29	5	1.446	17.24
San Bernardino, Cal.....	14,261	12	2	.841	16.67
Sharon, Pa.....	16,242	35	2	2.155	5.72
Sioux Falls, S. Dak.....	14,886	24	1	1.612	4.17
South Bethlehem, Pa.....	21,477	32	4	1.490	12.50
Southbridge, Mass.....	13,166	1076
Steelton, Pa.....	14,705	7	1	.476	14.29
Traverse City, Mich.....	12,720	29	2	2.280	6.90
Trinidad, Colo.....	11,290	38	3.366
Virginia, Minn.....	12,151	13	2	1.070	15.38
Wakefield, Mass.....	11,877	2168
Walla Walla, Wash.....	21,415	26	12	1.214	46.15
Warren, Ohio.....	11,585	19	1.640
Washington, Pa.....	19,790	44	4	2.223	9.09
Waukegan, Ill.....	17,553	189	20	.767	10.58
Webb City, Mo.....	12,777	4
Webster, Mass.....	12,113	3	1	.248	33.33
Westfield, Mass.....	16,879	17	1.007
West New York, N. J.....	15,413	6389
West Orange, N. J.....	11,894	11925
Willimantic, Conn.....	11,742	18	4	1.533	22.2
Woburn, Mass.....	15,542	7	1	.450	14.2

¹ United States census, 1910.² The health officer states that cases are known not to be completely reported.